

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office FEB 24 1997

Returned to applicant for correction _____

Corrected application filed _____

Map filed OCT 29 1996 UNDER 62508

The applicant **Ted S. Brown Raymond M. Pezonella & Jerry Puryear**, hereby make application for permission to change the **Point of Diversion, and Place of Use** of water heretofore appropriated under Permit 48967

1. The source of water is **Underground**
2. The amount of water to be changed **.5 c.f.s.**
3. The water to be used for **Recreation**
4. The water heretofore permitted for **Recreation**
5. The water is to be diverted at the following point **NE¼ NW¼ Section 30, T.14N, R.20E., M.D.B.&M.,** or at a point from which the center west 1/16 corner of section 19, T.14N., R.20E. M.D.B.&M. bears N. 26° 52' 05" W. a distance of 2717.1 feet.
6. The existing permitted point of diversion is located within **NW¼ NW¼ Section 30, T.14N., R.20E., M.D.B.&M.,** or at a point from which the NW corner of said section 18, T.14N., R.20E., M.D.B.&M., bears N. 01° 20' 29" W., a distance 10,692 feet.
7. Proposed place of use **N½ NW¼ NW¼ and N½ NE¼ NW¼ of Section 30, T.14N., R.20E, M.D.B.&M**
8. Existing place of use **NW¼; N½ N½ SW¼ Section 30, T.14N, R.20E., M.D.B.&M.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Drilled well, pump, motor, distribution system and lake.**
12. Estimated cost of works **in excess of \$25,000.00**
13. Estimated time required to construct works **Completed**
14. Estimated time required to complete the application of water to beneficial use **1 year**
15. Remarks: **This Application is Non-Consumptive and only represents a diversion rate. Please refer to Map filed under Permit 48964, for existing P.O.D. P.O.U. Please refer to Map filed under Permit 62508 for proposed P.O.D. P.O.U.**

By s/ **Jack D. Ferris**
475 S. Arlington, Ste. 2B
Reno, Nevada 89501

Compared nsr/jk lw/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 48967 is issued subject to the terms and conditions imposed in said Permit 48967 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 62508, 62509, 62510, 62872 and 62873 shall not exceed 68.34 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued for the non-consumptive use for recreational purposes, therefore, consumptive use of water is allowed by the issuance of this permit.

This permit is issued subject to the State Engineer's oral ruling of January 14, 1987 with the understanding that any consumptive use that may occur as a result of the recreational use under Permits 62872 and 62873 will have to be accounted for under Permits 62508 and 62509.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Application of water to beneficial use shall be filed on or before:

February 20, 2001

Proof of the application of water to beneficial use shall be filed on or before:

March 20, 2001


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 20th day of February, A.D. 1998


State Engineer

Completion of work filed N/A

Proof of beneficial use filed APR 18 2001

Cultural map filed _____

Certificate No. 15813, Issued AUG 06 2001